

# M60 Series

# Implements

M6060 - M7060 - M8560 - M9960 - Front Loader



## Front Loader LA1955 (M6-101/M6-111) & LA2255 (M6-131/M6-141)

With a host of convenient options, Kubota's powerful and versatile front loader lets you take on a wider variety of chores.



*Euro Quick Coupler*

## 2-lever Quick Coupler/Euro Quick Coupler

You can choose from two types of quick attachment couplers. Both let you quickly attach and detach a wide variety of attachments with a simple operation.



## Front Loader Joystick

Located in the control console for smooth and effortless shifting and better forward visibility, our Front Loader Joystick greatly simplifies front loader operation so you can concentrate more on the work ahead. The Series Circuit makes possible simultaneous boom and bucket operation while the Regenerative Bucket Dump Circuit enables quick dumping for efficient operation with quick cycle times.



## Hydraulic Shuttle Lever

Conveniently located behind the steering wheel, the hydraulic shuttle lever eliminates the need to depress a clutch when shifting between forward and reverse.

# M60 Series

# Implements

M6060 - M7060 - M8560 - M9960 - Front Loader



## Lifting Power and Height

Two separate boom cylinder fulcrum points (Power position and Height position) give you the option to increase the loader's lifting power or height based on your needs. When using the pallet fork or bale spear, you may want to set the fulcrum to give you more height. For bucket work, a lower setting offers more power.



## Quick Attach/Detach Loader

Attaching and detaching the front loader doesn't get easier, thanks to boom stands and two mounting pins. With easy-on and easy-off simplicity, and without tools, this feature is sure to contribute to your overall operating efficiency.



## Hydraulic Self-leveling Valve (Optional)

The hydraulic self-leveling mechanism gives the operator a clear view ahead because it doesn't require an upper loader link. This function can be switched off for times when bucket angles are more advantageous, for instance, during excavation.



## Kubota Shockless Ride (KSR) (Optional)

The KSR helps to minimize fatigue by "smoothing out" the ride of the tractor. This feature is particularly useful when your tasks include a lot of tight turns or lifting and dumping of heavy loads. It makes handling round bales far less jarring.



## Single-lever Hydraulic Quick Coupler (Optional)

The quick coupler allows the operator to attach all four hoses at once. This makes attaching and detaching quick and easy, even when you're doing it often.



## Third Function Valve (Optional)

The optional 3rd function valve broadens the scope of the front loader operation by enabling the use of a grapple bucket and various other hydraulically controlled attachments. The 3rd function valve can be activated with a button located on the grip of the joystick.



## Roof Panel

The Grand X's sunroof-type roof panel offers a clear view above the cab to help facilitate the checking of the front loader position.